

Literature Release Notification

February 28, 2018

By Product Line

The following publication(s) have been revised or released as listed below and many are available under Documentation Library on our web site at <http://www.fmctechnologies.com/measurementsolutions>. For your convenience, links to each newly released publication are included with this notification.

Hard copies can be requested through the TechnipFMC Measurement Solutions Literature Fulfillment Center by fax at +1 814-453-4698 or by e-mail at Measurement.Fulfillment@technipfmc.com

Please notify me of any changes to the distribution of this notice by e-mail abigail.gilmore@technipfmc.com

MASTER CATALOG HOLDERS

We do not send hard copy updates; therefore, you should update your Master Catalog by printing off the revised publications available under Documentation Library on our web site at <http://www.fmctechnologies.com/measurementsolutions> or by requesting hard copies through the Literature Fulfillment Center by fax at +1 814-453-4698 or by e-mail at Measurement.Fulfillment@technipfmc.com.

Title	# of Pages	Issue/Rev. (Date)	Pub #
-------	------------	-------------------	-------

Coriolis Meters

Manual

Proline Promass F 100 HART Coriolis Flowmeter_Operating Instruction Manual; BA01657O/06/EN Link http://info.smithmeter.com/literature/docs/BA01657OEN_0217.pdf	154	0.0 (02/18)	BA01657O/06/EN
Proline Promass F 100 Modbus RS485_Operating Instruction Manual; BA01659O/06/EN Link http://info.smithmeter.com/literature/docs/BA01659OEN_0217.pdf	122	0.0 (02/18)	BA01659O/06/EN
Proline Promass F 100 EtherNet/IP_Operating Instruction Manual; BA01661O/06/EN Link http://info.smithmeter.com/literature/docs/BA01661OEN_0217.pdf	146	0.0 (02/18)	BA01661O/06/EN
Proline Promass_E 300 HART_Operating Instruction Manual; BA01662O/06/EN Link http://info.smithmeter.com/literature/docs/BA01662OEN_0217.pdf	230	0.0 (02/18)	BA01662O/06/EN
Proline Promass_F 300 HART_Operating Instructions Manual; BA01663O/06/EN Link http://info.smithmeter.com/literature/docs/BA01663OEN_0217.pdf	236	0.0 (02/18)	BA01663O/06/EN
Proline Promass_O 300 HART_Operating instructions Manual; BA01664O/06/EN Link http://info.smithmeter.com/literature/docs/BA01664OEN_0217.pdf	230	0.0 (02/18)	BA01664O/06/EN
Proline Promass_Q 300 HART_Operating Instructions Manual; BA01665O/06/EN Link http://info.smithmeter.com/literature/docs/BA01665OEN_0217.pdf	232	0.0 (02/18)	BA01665O/06/EN

Title	# of Pages	Issue/Rev. (Date)	Pub #
Proline Promass_X 300 HART_Operating Instruction Manual; BA01666O/06/EN Link http://info.smithmeter.com/literature/docs/BA01666OEN_0217.pdf	230	0.0 (02/18)	BA01666O/06/EN
Proline Promass_E 300 Modbus RS485_Operating Instructions Manual; BA01667O/06/EN Link http://info.smithmeter.com/literature/docs/BA01667OEN_0217.pdf	226	0.0 (02/18)	BA01667O/06/EN
Proline Promass_F 300 Modbus RS485_Operating Instructions Manual; BA01668O/06/EN Link http://info.smithmeter.com/literature/docs/BA01668OEN_0217.pdf	232	0.0 (02/18)	BA01668O/06/EN
Proline Promass_O 300 Modbus RS485_Operating Instructions Manual; BA01669O/06/EN Link http://info.smithmeter.com/literature/docs/BA01669OEN_0217.pdf	228	0.0 (02/18)	BA01669O/06/EN
Proline Promass_Q 300 Modbus RS485_Operations Instructions Manual; BA01670O/06/EN Link http://info.smithmeter.com/literature/docs/BA01670OEN_0217.pdf	228	0.0 (02/18)	BA01670O/06/EN
Proline Promass_X 300 Modbus RS485_Operations Instructions Manual; BA01671O/06/EN Link http://info.smithmeter.com/literature/docs/BA01671OEN_0217.pdf	228	0.0 (02/18)	BA01671O/06/EN
Proline Promass_E 500 HART_Operating Instructions Manual; BA01672O/06/EN Link http://info.smithmeter.com/literature/docs/BA01672OEN_0217.pdf	250	0.0 (02/18)	BA01672O/06/EN
Proline Promass_F 500 HART_Operations Instructions Manual; BA01673O/06/EN Link http://info.smithmeter.com/literature/docs/BA01673OEN_0217.pdf	258	0.0 (02/18)	BA01673O/06/EN
Proline Promass_O 500 HART_Operations Instructions Manual; BA01674O/06/EN Link http://info.smithmeter.com/literature/docs/BA01674OEN_0217.pdf	254	0.0 (02/18)	BA01674O/06/EN
Proline Promass_Q 500 HART_Operations Instructions Manual; BA01675O/06/EN Link http://info.smithmeter.com/literature/docs/BA01675OEN_0217.pdf	254	0.0 (02/18)	BA01675O/06/EN
Proline Promass_Q 500 HART_Operations Instructions Manual; BA01676O/06/EN Link http://info.smithmeter.com/literature/docs/BA01677OEN_0217.pdf	250	0.0 (02/18)	BA01676O/06/EN
Proline Promass_E 500 Modbus RS485_Operations Instructions Manual; BA01677O/06/EN Link http://info.smithmeter.com/literature/docs/BA01677OEN_0217.pdf	248	0.0 (02/18)	BA01677O/06/EN
Proline Promass_F 500 Modbus RS485_Operations Instructions Manual; BA01678O/06/EN Link http://info.smithmeter.com/literature/docs/BA01678OEN_0217.pdf	256	0.0 (02/18)	BA01678O/06/EN
Proline Promass_O 500 Modbus RS485_Operations Instructions Manual; BA01679O/06/EN Link http://info.smithmeter.com/literature/docs/BA01679OEN_0217.pdf	252	0.0 (02/18)	BA01679O/06/EN
Proline Promass_Q 500 Modbus RS485_Operations Instructions Manual; BA01680O/06/EN Link http://info.smithmeter.com/literature/docs/BA01680OEN_0217.pdf	252	0.0 (02/18)	BA01680O/06/EN
Proline Promass_X 500 Modbus RS485_Operations Instructions Manual; BA01681O/06/EN Link http://info.smithmeter.com/literature/docs/BA01681OEN_0217.pdf	248	0.0 (02/18)	BA01681O/06/EN
E 300 Coriolis Flowmeter_EtherNet/IP_Operating Instructions Manual; BA01806O/06/EN Link http://info.smithmeter.com/literature/docs/BA01806OEN_0117.pdf	260	0.0 (02/18)	BA01806O/06/EN
F 300 Coriolis Flowmeter_EtherNet/IP_Operating Instructions Manual; BA01807O/06/EN Link http://info.smithmeter.com/literature/docs/BA01807OEN_0117.pdf	264	0.0 (02/18)	BA01807O/06/EN

Title	# of Pages	Issue/Rev. (Date)	Pub #
O 300 Coriolis Flowmeter_Ethernet/IP_Operating Instructions Manual; BA01808O/06/EN Link http://info.smithmeter.com/literature/docs/BA01808OEN_0117.pdf	260	0.0 (02/18)	BA01808O/06/EN
Q 300 Coriolis Flowmeter_EtherNet/IP_Operating Instructions Manual; BA01809O/06/EN Link http://info.smithmeter.com/literature/docs/BA01809OEN_0117.pdf	262	0.0 (02/18)	BA01809O/06/EN
X 300 Coriolis Flowmeter_EtherNet/IP_Operating Instructions Manual; BA01810O/06/EN Link http://info.smithmeter.com/literature/docs/BA01810OEN_0117.pdf	260	0.0 (02/18)	BA01810O/06/EN
E 500 Coriolis Flowmeter_EtherNet/IP_Operating Instructions Manual; BA01811O/06/EN Link http://info.smithmeter.com/literature/docs/BA01811OEN_0117.pdf	286	0.0 (02/18)	BA01811O/06/EN
F 500 Coriolis Flowmeter_EtherNet/IP_Operating Instructions Manual; BA01812O/06/EN Link http://info.smithmeter.com/literature/docs/BA01812OEN_0117.pdf	292	0.0 (02/18)	BA01812O/06/EN
O 500 Coriolis Flowmeter_EtherNet/IP_Operating Instructions Manual; BA01813O/06/EN Link http://info.smithmeter.com/literature/docs/BA01813OEN_0117.pdf	288	0.0 (02/18)	BA01813O/06/EN
Q 500 Coriolis Flowmeter_EtherNet/IP_Operating Instructions Manual; BA01814O/06/EN Link http://info.smithmeter.com/literature/docs/BA01814OEN_0117.pdf	288	0.0 (02/18)	BA01814O/06/EN
X 500 Coriolis Flowmeter_EtherNet/IP_Operating Instructions Manual; BA01815O/06/EN Link http://info.smithmeter.com/literature/docs/BA01815OEN_0117.pdf	282	0.0 (02/18)	BA01815O/06/EN
Proline Promass 300 HART Coriolis Flowmeter_Description of Device Parameters Manual; GP01105O/06/EN Link http://info.smithmeter.com/literature/docs/GP01105OEN_0217.pdf	310	0.0 (02/18)	GP01105O/06/EN
Proline Promass 300 Modbus RS485 Coriolis Flowmeter_Description of Device Parameters Manual; GP01106O/06/EN Link http://info.smithmeter.com/literature/docs/GP01106OEN_0217.pdf	340	0.0 (02/18)	GP01106O/06/EN
Proline Promass 500 HART Coriolis Flowmeter_Description of Device Parameters Manual; GP01107O/06/EN Link http://info.smithmeter.com/literature/docs/GP01107OEN_0217.pdf	312	0.0 (02/18)	GP01107O/06/EN
Proline Promass 500 HART Coriolis Flowmeter_Description of Device Parameters Manual; GP01108O/06/EN Link http://info.smithmeter.com/literature/docs/GP01108OEN_0217.pdf	346	0.0 (02/18)	GP01108O/06/EN
300 Coriolis Flowmeter_EtherNet/IP_Description of Device Parameters Manual; GP01127O/06/EN Link http://info.smithmeter.com/literature/docs/GP01127OEN_0117.pdf	274	0.0 (02/18)	GP01127O/06/EN
500 Coriolis Flowmeter_EtherNet/IP_Description of Device Parameters Manual; GP01128O/06/EN Link http://info.smithmeter.com/literature/docs/GP01128OEN_0117.pdf	278	0.0 (02/18)	GP01128O/06/EN
E Coriolis Sensor_Brief Operating Instructions Manual; KA01356O/06/EN Link http://info.smithmeter.com/literature/docs/KA01356OEN_0117.pdf	24	0.0 (02/18)	KA01356O/06/EN
F Coriolis Sensor_Brief Operating Instructions Manual; KA01357O/06/EN Link http://info.smithmeter.com/literature/docs/KA01357OEN_0117.pdf	32	0.0 (02/18)	KA01357O/06/EN
O Coriolis Sensor_Brief Operating Instructions Manual; KA01358O/06/EN Link http://info.smithmeter.com/literature/docs/KA01358OEN_0117.pdf	32	0.0 (02/18)	KA01358O/06/EN

Title	# of Pages	Issue/Rev. (Date)	Pub #
Q Coriolis Sensor_Brief Operating Instructions Manual; KA01359O/06/EN Link http://info.smithmeter.com/literature/docs/KA01359OEN_0117.pdf	32	0.0 (02/18)	KA01359O/06/EN
X Coriolis Sensor_Brief Operating Instructions Manual; KA01360O/06/EN Link http://info.smithmeter.com/literature/docs/KA01360OEN_0117.pdf	32	0.0 (02/18)	KA01360O/06/EN
300 EtherNet/IP Transmitter with Coriolis Sensor_Brief Operating Instructions Manual; KA01361O/06/EN Link http://info.smithmeter.com/literature/docs/KA01361OEN_0117.pdf	40	0.0 (02/18)	KA01361O/06/EN
500_EtherNet/IP_Transmitter with Coriolis Sensor_Brief Operating Instructions Manual; KA01362O/06/EN Link http://info.smithmeter.com/literature/docs/KA01362OEN_0117.pdf	48	0.0 (02/18)	KA01362O/06/EN
500_Digital EtherNet/IP Transmitter with Coriolis Sensor_Brief Operating Instructions Manual; KA01363O/06/EN Link http://info.smithmeter.com/literature/docs/KA01363OEN_0117.pdf	48	0.0 (02/18)	KA01363O/06/EN
300 HART Transmitter with Coriolis Sensor_Brief Operating Instructions Manual; KA01364O/06/EN Link http://info.smithmeter.com/literature/docs/KA01364OEN_0117.pdf	36	0.0 (02/18)	KA01364O/06/EN
300 Modbus RS85_Brief Operating Instructions Manual; KA01365O/06/EN Link	36	0.0 (02/18)	KA01365O/06/EN
500 HART Transmitter with Coriolis Sensor_Brief Operating Instructions Manual; KA01366O/06/EN Link http://info.smithmeter.com/literature/docs/KA01366OEN_0117.pdf	40	0.0 (02/18)	KA01366O/06/EN
500 Digital HART Transmittler with Coriolis Sensor_Brief Operating Instructions Manual; KA01367O/06/EN Link http://info.smithmeter.com/literature/docs/KA01367OEN_0117.pdf	36	0.0 (02/18)	KA01367O/06/EN
500 Modbus RS485 Transmitter with Coriolis Sensor_Brief Operating Instructions Manual; KA01368O/06/EN Link http://info.smithmeter.com/literature/docs/KA01368OEN_0117.pdf	44	0.0 (02/18)	KA01368O/06/EN
500 Digital Modbus RS485 Transmitter with Coriolis Sensor_Brief Operating Instructions Manual; KA01369O/06/EN Link http://info.smithmeter.com/literature/docs/KA01369OEN_0117.pdf	36	0.0 (02/18)	KA01369O/06/EN
300 HART_Special Documentation Heartbeat Verification + Monitoring application package; SD01906O/06/EN Link http://info.smithmeter.com/literature/docs/SD01906OEN_0217.pdf	56	0.0 (02/18)	SD01906O/06/EN
300 Modbus RS485_Special Documentation Heartbeat Verification + Monitoring application package; SD01907O/06/EN Link http://info.smithmeter.com/literature/docs/SD01907OEN_0217.pdf	64	0.0 (02/18)	SD01907O/06/EN
Proline Promass 300 HART_Special Documentation Concentration measurement application package; SD01908O/06/EN Link http://info.smithmeter.com/literature/docs/SD01908OEN_0217.pdf	50	0.0 (02/18)	SD01908O/06/EN
300 Modbus RS485_Special Documentation Concentration Measurement Application Package; SD01909O/06/EN Link http://info.smithmeter.com/literature/docs/SD01909OEN_0217.pdf	52	0.0 (02/18)	SD01909O/06/EN
300 HART_Web Server Manual; SD01910O/06/EN Link http://info.smithmeter.com/literature/docs/SD01910OEN_0217.pdf	32	0.0 (02/18)	SD01910O/06/EN

Title	# of Pages	Issue/Rev. (Date)	Pub #
300 Modbus RS485_Web Server Manual; SD01911O/06/EN Link http://info.smithmeter.com/literature/docs/SD01911OEN_0217.pdf	32	0.0 (02/18)	SD01911O/06/EN
Proline Promass 300 Modbus RS485_Special Documentation Functional Safety Manual; SD01912O/06/EN Link http://info.smithmeter.com/literature/docs/SD01912OEN_0217.pdf	32	0.0 (02/18)	SD01912O/06/EN
Proline Promass 500 HART_Special Documentation Heartbeat Verification + Monitoring application package; SD01913O/06/EN Link http://info.smithmeter.com/literature/docs/SD01913OEN_0217.pdf	56	0.0 (02/18)	SD01913O/06/EN
Proline Promass 500 Modbus RS485_Special Documentation Heartbeat Verification + Monitoring application package; SD01914O/06 Link http://info.smithmeter.com/literature/docs/SD01914OEN_0217.pdf	62	0.0 (02/18)	SD01914O/06
Proline Promass 500 HART_Special Documentation Concentration measurement application package; SD01915O/06/EN Link http://info.smithmeter.com/literature/docs/SD01915OEN_0217.pdf	50	0.0 (02/18)	SD01915O/06/EN
500 Modbus RS485_Special Documentation Concentration Measurement Application Package; SD01916O/06/EN Link http://info.smithmeter.com/literature/docs/SD01916OEN_0217.pdf	50	0.0 (02/18)	SD01916O/06/EN
500 HART_Special Documentation Web Server Manual; SD01917O/06/EN Link http://info.smithmeter.com/literature/docs/SD01917OEN_0217.pdf	32	0.0 (02/18)	SD01917O/06/EN
500 Modbus RS485_Special Documentation Web Server; SD01918O/06/EN Link http://info.smithmeter.com/literature/docs/SD01918OEN_0217.pdf	32	0.0 (02/18)	SD01918O/06/EN
Coriolis Flowmeter_Special Documentation Functional Safety Manual; SD01919O/06/EN Link http://info.smithmeter.com/literature/docs/SD01919OEN_0217.pdf	32	0.0 (02/18)	SD01919O/06/EN
Display Modules A309/A310 Radio Approvals for WLAN Interface; SD01965O/06/EN Link http://info.smithmeter.com/literature/docs/SD01965OEN_0317.pdf	8	0.0 (02/18)	SD01965O/06/EN
300 EtherNet/IP_Heartbeat Verification + Monitoring Application Package Manual; SD02127O/06/EN Link http://info.smithmeter.com/literature/docs/SD02127OEN_0117.pdf	56	0.0 (02/18)	SD02127O/06/EN
300 EtherNet/IP_Concentration Measurement Application Package Manual; SD02128O/06/EN Link http://info.smithmeter.com/literature/docs/SD02128OEN_0117.pdf	52	0.0 (02/18)	SD02128O/06/EN
300 EtherNet/IP_Web Server Manual; SD02129O/06/EN Link http://info.smithmeter.com/literature/docs/SD02129OEN_0117.pdf	36	0.0 (02/18)	SD02129O/06/EN
300 HART_Petroleum Application Package Manual; SD02130O/06/EN Link http://info.smithmeter.com/literature/docs/SD02130OEN_0117.pdf	32	0.0 (02/18)	SD02130O/06/EN
300 Modbus RS485_Petroleum Application Package Manual; SD02131O/06/EN Link http://info.smithmeter.com/literature/docs/SD02131OEN_0117.pdf	32	0.0 (02/18)	SD02131O/06/EN
300 EtherNet/IP_Petroleum Application Package Manual; SD02132O/06/EN Link http://info.smithmeter.com/literature/docs/SD02132OEN_0117.pdf	32	0.0 (02/18)	SD02132O/06/EN

Title	# of Pages	Issue/Rev. (Date)	Pub #
500 Coriolis Flowmeter EtherNet/IP Manual; SD02133O/06/EN Link http://info.smithmeter.com/literature/docs/SD02133OEN_0117.pdf	56	0.0 (02/18)	SD02133O/06/EN
500 Coriolis Flowmeter EtherNet/IP_Concentration Measurement Application Package_Manual; SD02134O/06/EN Link http://info.smithmeter.com/literature/docs/SD02134OEN_0117.pdf	52	0.0 (02/18)	SD02134O/06/EN
500 Coriolis Flowmeter EtherNet/IP_Web Server Manual; SD02135O/06/EN Link http://info.smithmeter.com/literature/docs/SD02135OEN_0117.pdf	40	0.0 (02/18)	SD02135O/06/EN
500 Coriolis Flowmeter HART_ Petroleum Application Package Manual; SD02136O/06/EN Link http://info.smithmeter.com/literature/docs/SD02136OEN_0117.pdf	32	0.0 (02/18)	SD02136O/06/EN
500 Coriolis Flowmeter Modbus RS485_ Petroleum Application Package; SD02137O/06/EN Link http://info.smithmeter.com/literature/docs/SD02137OEN_0117.pdf	32	0.0 (02/18)	SD02137O/06/EN
500 Coriolis Flowmeter EtherNet/IP_ Petroleum Application Package Manual; SD02138O/06/EN Link http://info.smithmeter.com/literature/docs/SD02138OEN_0117.pdf	32	0.0 (02/18)	SD02138O/06/EN
F 100 Coriolis Flowmeter_Technical Information Manual; TI01318O/06/EN Link http://info.smithmeter.com/literature/docs/TI01318OEN_0217.pdf	114	0.0 (02/18)	TI01318O/06/EN
E 300 Coriolis Flowmeter_Technical Information Manual; TI01319O/06/EN Link http://info.smithmeter.com/literature/docs/TI01319OEN_0217.pdf	112	0.0 (02/18)	TI01319O/06/EN
F 300 Coriolis Flowmeter_Technical Information Manual; TI01320O/06/EN Link http://info.smithmeter.com/literature/docs/TI01320OEN_0217.pdf	132	0.0 (02/18)	TI01320O/06/EN
O 300 Coriolis Flowmeter_Technical Information Manual; TI01321O/06/EN Link http://info.smithmeter.com/literature/docs/TI01321OEN_0217.pdf	98	0.0 (02/18)	TI01321O/06/EN
Q 300_Technical Information Manual; TI01322O/06/EN Link http://info.smithmeter.com/literature/docs/TI01322OEN_0217.pdf	110	0.0 (02/18)	TI01322O/06/EN
X 300_Technical Information Manual; TI01323O/06/EN Link http://info.smithmeter.com/literature/docs/TI01323OEN_0217.pdf	98	0.0 (02/18)	TI01323O/06/EN
E 500_Technical Information Manual; TI01324O/06/EN Link http://info.smithmeter.com/literature/docs/TI01324OEN_0217.pdf	128	0.0 (02/18)	TI01324O/06/EN
F 500_Technical Information Manual; TI01325O/06/EN Link http://info.smithmeter.com/literature/docs/TI01325OEN_0217.pdf	130	0.0 (02/18)	TI01325O/06/EN
O 500_Technical Information Manual; TI01326O/06/EN Link http://info.smithmeter.com/literature/docs/TI01326OEN_0217.pdf	118	0.0 (02/18)	TI01326O/06/EN
Q 500_Technical Information Manual; TI01327O/06/EN Link http://info.smithmeter.com/literature/docs/TI01327OEN_0217.pdf	106	0.0 (02/18)	TI01327O/06/EN
X 500_Technical Information Manual; TI01328O/06/EN Link http://info.smithmeter.com/literature/docs/TI01328OEN_0217.pdf	112	0.0 (02/18)	TI01328O/06/EN

Electronics

Specification Sheet

AccuLoad IV_Specifications; SS06200	24	0.0 (04/17)	SS06200
Link http://info.smithmeter.com/literature/docs/SS06200.pdf			

INVALCO

Specification Sheet

Micro Valve_Specifications and Parts List; SSIN064	6	0.0 (02/18)	SSIN064
Link http://info.smithmeter.com/literature/docs/SSIN064.pdf			
Series 518 Ductile Body Low Pressure Relief Valve_Specifications and Parts List; SSIN065	4	0.0 (02/18)	SSIN065
Link http://info.smithmeter.com/literature/docs/SSIN065.pdf			
476 Series Ductile Body Diaphragm Operated Three-Way Valve_Specifications and Parts List; SSIN066	4	0.0 (02/18)	SSIN066
Link http://info.smithmeter.com/literature/docs/SSIN066.pdf			

Service

Form

Service Workshop Registration Form; FMSM006A1	2	0.6 (01/18)	FMSM006A1
Link http://info.smithmeter.com/literature/docs/FMSM006A1.pdf			
2018 Training Workshops Registration Brochure; FMSM025	2	0.2 (01/18)	FMSM025
Link http://info.smithmeter.com/literature/docs/fmsm025.pdf			

Turbine Meters

Specification Sheet

Sentry Series_4 to 20 inch_Turbine Meter_Spec Sheet; SS02001	6	1.5 (02/18)	SS02001
Link http://info.smithmeter.com/literature/docs/ss02001.pdf			
Guardsman G Series_1 1/2 to 4 inch_Turbine Meter_Spec Sheet; SS02002	4	1.3 (02/18)	SS02002
Link http://info.smithmeter.com/literature/docs/ss02002.pdf			
Guardsman LB / LJ / LSJ Series_1 to 4 inch_Turbine Meter_Spec Sheet; SS02003; SS02003	6	2.2 (02/18)	SS02003
Link http://info.smithmeter.com/literature/docs/ss02003.pdf			
PA-6_Preamplifier; SS02012	4	0.5 (02/18)	SS02012
Link http://info.smithmeter.com/literature/docs/SS02012.pdf			

	Title	# of Pages	Issue/Rev. (Date)	Pub #
	3in. to 16in._MV Series_Turbine Meter_Spec Sheet; SS02016	6	2.0 (02/18)	SS02016
Link	http://info.smithmeter.com/literature/docs/ss02016.pdf			

Ultrasonic Meters

Form

	EC Declaration of Conformity_Ultrasonic Flowmeters; FMLS006	2	0.6 (02/18)	FMLS006
Link				